

L Number	Hits	Search Text	DB	Time stamp
1	142	702/155.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:07
8	1	702/155.ccls. and (hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:08
15	1	702/155.ccls. and (hydrodynamic with bearing\$1 with rotat\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:11
-	1479	hydrodynamic with bearing\$1 with rotat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:10
-	399	(hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:07
-	65	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:36
-	41	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1))) and ((angular with position) or longitudinal or dimension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:52
-	0	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1))) and ((angular with position) with groove\$1 with along with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:53
-	0	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1))) and ((angular with position) with along with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:54
-	0	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1))) and ((angular with position) with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:54
-	0	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and ((angular with position) with along with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:55
-	0	(hydrodynamic with bearing\$1 with rotat\$3) and ((angular with position) with along with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:55
-	0	(hydrodynamic with bearing\$1 with rotat\$3) and ((angular with position) with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:57

-	1031	((angular with position) with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:56
-	168	((angular with position) with along with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:56
-	0	((angular with position) with along with circumference with hydrodynamic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:57
-	0	(hydrodynamic with bearing\$1 with rotat\$3) and ((angular with (position or displacement)) with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 00:00
-	0	(hydrodynamic with bearing\$1 with rotat\$3) and ((angular with (position or displacement or shift)) with circumference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 23:58
-	7	(hydrodynamic with bearing\$1 with rotat\$3) and (angular with (position or displacement) with (longitudinal or axis))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 00:05
-	10	(hydrodynamic with bearing\$1 with rotat\$3) and (determin\$3 with dimension\$1 with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 00:05
-	141	702/155.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 08:59
-	64	(hydrodynamic with bearing\$1 with rotat\$3) and ((angular with (position or displacement)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 09:31
-	399	(hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:48
-	186	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and ((measur\$5 or characteri\$6) with (surface or topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 22:46
-	41	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (reference with (surface\$1 or plane\$1)) and ((measur\$5 or characteri\$6) with (surface or topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:41
-	33	(hydrodynamic with bearing\$1 with rotat\$3) same. ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:51

-	135	((hydrodynamic with bearing\$1 with rotat\$3) and ((measur\$5 or determin\$3 or control\$4) with (surface\$1 or plane\$1))) and (measur\$5 with (surface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 22:50
-	3	(hydrodynamic with bearing\$1 with rotat\$3) same (measur\$5 with surface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 22:57
-	29	(hydrodynamic with bearing\$1) same (measur\$5 with surface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:22
-	0	((hydrodynamic with bearing\$1) same (measur\$5 with surface\$1)) and (measur\$4 with roundness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:29
-	1	((hydrodynamic with bearing\$1) same (measur\$5 with surface\$1)) and (measur\$5 with roundness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:31
-	56	(hydrodynamic with (bearing\$1 or groove\$1)) with ((determin\$3 or measur\$5 sens\$3) with (surface\$1 or width or depth or spac\$3 or topology or topography or roundness or waveform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:52
-	56	(hydrodynamic with (bearing\$1 or groove\$1)) with ((determin\$3 or measur\$5 or sens\$3) with (surface\$1 or width or depth or spac\$3 or topology or topography or roundness or waveform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:53
-	28	(hydrodynamic with (bearing\$1 or groove\$1)) with ((measur\$5 or sens\$3) with (surface\$1 or width or depth or spac\$3 or topology or topography or roundness or waveform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 23:54